Dr.Wong

「三叠紀」車載冷香儀

Portable Aroma Nebulizer - Triassic

在正式使用冷香儀前，我們建議您先完整閱讀本說明手冊，以便更好地使用產品。
另外建議保留好本手冊，方便您後續查詢使用。

產品描述



使用方法



01
首次使用前，請將冷香儀充滿電

* 充電前先：將精油瓶與冷香儀組合前準備好的電源連結。

02
左旋取下空儲油瓶

車載安裝方式

• 方法一：粘貼式（適合特殊位置保留出風前蓋的車型）

① 撕下粘紙



② 背膠粘貼於汽車風駕套電子手板後方

03
倒入適量植物精油*

* 最高容量為 10.5ml/g*，且精油容積為 80%，避免發生充電過程中因溫度升高導致精油溢出至充電孔內，以保護儀器正常運作。



04
右旋安裝儲油瓶，
按下按鍵，啟動香霧

備用：以 500g 精準測量（三選一），準備完香霧使用的三D精油膜座，重量變化，無需更換精油瓶。
如需調整，請使用調整（可換至下）。



方法二：插入式（適合大多數帶空調出風板的車型）

① 對準插器卡槽安裝出風口夾



② 將夾子插入空調出風板，
確認穩固



注意：
冷香儀出風口應置高於空調出風口，以免空調風直吹，影響香霧出霧，造成出霧口積聚過多液體



按鍵說明

• 長按選擇：
"開關/清潔"模式



• 單擊選擇：
"濃香/淡香"濃度模式

• 雙擊選擇：
"風量/定時"工作模式



電量指示燈



❶ **充電提示**

充電中：
充電指示燈閃爍

充電完成：
充電指示燈長亮

❷ **電量警告**

電量過低：
指示燈以三秒為一個週期，閃爍兩次

電量嚴重過低：
指示燈以兩秒為一個週期，閃爍兩次

請電量過低後：
按鍵指示燈閃爍5次，提醒充電

更換精油說明



01
旋下儲化組件，排棉取下儲油瓶，
按需選擇更換棉條*

02
安裝新棉條*，倒入新精油，
或直接替換12ml瓶裝精油

03
重上霧化組件，即可完成更換

* 正常情況下，本機內建的棉條無須頻繁更換。
如有緊張特意更換的需要，您更換不同香氣精油時，建議同步更換棉條，
包裝內已附贈2支新棉條，以供更換使用。

⚠ 注意事項

一、安全防護

- 警告：不要把本機放置於汽車安全氣囊彈出可能觸及的範圍內。
- 請將本機放置於可保護及避免乾燥不易接觸到的地方。
- 本機只能使用推薦的產品或配件，使用其他非建議可能會產生毒性或發生火災。
- 本機內置鋰電池，禁止將產品投入火中或高壓，鋰電池過熱 / 撞擊 / 進水將會有起火爆炸的風險。
- 對香薰精油敏感的人群，請謹慎使用。本機僅用於清新空氣，不可做其他用途。

二、使用規範

- 安裝或者替換香薰精油時，請勿倒扣瓶身，如有少量液體流出屬正常現象，擦拭即清潔即可以使用。
- 工作過程中，請勿將本機倒扣或放置，避免液體溢出，並應保持出霧口向上自然狀態。
- 「風量」工作模式是基於汽車的前裝設計，如本機放置於前置者的設備（如前台 / 前包內），可能因為震動工作，建議不使用。
- 本機工作時，請勿將口鼻與香霧近或對著出霧口，長時間吸入該濃縮香味，避免刺激和引起潛在過敏或者咳嗽不適。
- 請勿將香霧投向有活動香氣裝置者，例如：風扇和空調。
- 為延長機器使用壽命，請勿長時間重複開關本機和調試。

三、維護與報修

- 請勿將本機浸入水中或用水沖洗，以免發生短路現象。
- 本機設立故障時，切勿自行拆機修復，請聯繫售後進行維修。

常見問題

常見問題	故障原因分析	解決方法
無法開機	電量耗盡	充電
指示燈不亮	產品未對應電量耗盡	正確開機/充電
無法霧化	香薰精油已經用完	補充香薰精油或棉條
	出霧口堵塞	用酒精棉球清潔出霧口或棉條
	電量耗盡	充電
霧量	精油瓶未有旋緊到位	旋下本體與瓶身旋緊到位
	棉條被香薰精油	棉條或出霧口清潔
LED燈光熄	出霧口被堵塞	棉條或出霧口清潔
LED燈	充電中	充電

保修條款

如購買產品並使用說明（非人為因素），本公司提供下列香氛保養服務 (日期均以開具之日起計算)：

- **免費換新：**購買7天內，提供免費換新。
- **免費維修：**購買1个月内，提供免費維修。

產品中有害物質的名稱及含量

部件名稱	有害物質					
	鉛 (Pb)	汞 (Hg)	鎘 (Cd)	六價鉻 (Cr(VI))	多溴聯苯 (PBB)	多溴二苯醚 (PBDE)
電路板	O	O	O	O	O	O
電池	X	O	O	O	O	O
電感	X	O	O	O	O	O
電容	X	O	O	O	O	O
連接器	X	O	O	O	O	O
霧化片	X	O	O	O	O	O
LED燈光珠	O	O	O	O	O	O
USB線	X	O	O	O	O	O

本表格依據SJ/T 11364-2014的規定編制

O：表示該有害物質在該部件所有均質材料中的含量均在GB/T 26572-2011規定的限量要求以下。

X：表示該有害物質至少在該部件的某一均質材料中的含量超出GB/T 26572-2011規定的限量要求。

此標誌適用於在中華人民共和國銷售的電子電器產品，標誌中的數字為環保使用期限（以年為單位）。

產品信息

產品名稱	三叠紀車載冷香儀
產品型號	AM01-05
產品尺寸	φ37*57mm（不含配件）
產品材質	PBT+矽膠+鋁合金
擴香方式	超孔振霧
電池容量	2500mAh
額定電壓	5V⎓1A
充電介面	Type-C
充電時長	1.5H
工作溫度	10°C-60°C
執行標準編號	GB 4706.1-2005，GB 4706.48-2009
製 造 商	廣東科立電器有限公司
地 址	廣東省佛山市南海區獅山鎮科技大道東39號科易工業園
廠世界廠商	廣東世界廠商有限公司
產品承諾用途	根據中國國標要求GB31-05關係條款CE認證SGS報
聯繫電話	852-6064 8573

* 本款香薰精油最大容量指標是在正常狀況下使用，可能會因為產品不同，而出現容量差異。

• 其他合規證明

生命無論貧富高矮好醜平凡
May the force of plant be with you

ESTD 2015

Please read this manual before you use.

Parts list

How to use



01
Fully charge the nebulizer
before first use.

* For safety, please use a power adapter that meets applicable safety standards.

02
Twist the empty oil bottle
counterclockwise to remove it.



In-Car Installation

• Method 1: Adhesive Mount (for vehicles without air vents, e.g., Tesla)

① Remove the protective film

② Stick the mount to the back of the center console screen.
* Ensure the surface is clean and flat before applying.



03
Fill the bottle with essential oil.

* Recommended Capacity: 10.5ml/g*, if the bottle is made for the "Triassic" nebulizer*mark to nadline, no pouring needed. To purchase, please visit our store (see below).

04
Twist the bottle clockwise to install.
Press the power button to start diffusing.



Recommended Accessories:
* Only Dr.Wong refill bottles are made for the "Triassic" nebulizer*mark to nadline, no pouring needed. To purchase, please visit our store (see below).



• Method 2: Vent Clip Mount (for regular cars with air vents)

① Attach the clip to the slot on the nebulizer.



② Insert the clip into the air vent and secure it is firmly.



Placement Tip
Make sure the mist outlet is slightly above the air vent to avoid airflow interference and condensation.

✓ Outlet positioned above the vent



✗ Outlet positioned below the vent



③ Insert the nebulizer into the mounting slot to complete installation.
* Ensure the oil bottle is tightly secured to avoid leakage leaking.

Button Instructions

• Long Press:
Power / Cleaning Mode

• Single Press:
Aroma Intensity Mode

• Double Press:
Driving / Timer Mode





(3)On startup, the device powers light Mode and sprays every 10min(5 mins per hour), we recommend changing the wick when switching to a different essential oil.
If no mist appears, the wick may be blocked. Activate Cleaning Mode (refer #3) for continuous flushing.

Battery Indicator Guide

❶ **Charging Status**

Charging:
Charging indicator light blinks

Fully charged:
Charging indicator light stays on

❷ **Low Battery Alerts**

Low battery:
Button indicator light blinks 3 times

Battery depleted:
Button indicator light turns off, device shuts down automatically

Cannot power on (battery too low):
Button indicator light blinks 5 times to indicate charging is required.

Replacing Essential Oil

01
Remove the nebulizing unit and unscrew the oil bottle. Replace the cotton wick* if needed.

02
Insert a new wick* and refill with fresh essential oil, or use a 12ml pre-filled bottle.

03
Reattach the nebulizing unit.
The device is now ready to use.

Note: The built-in wick doesn't require frequent replacement during normal use. To maintain scent purity, we recommend changing the wick when switching to a different essential oil.
Three spare wicks are included in the package for your convenience.

⚠ Safety & Usage Instructions

I . Safety Precautions

- Warning: Do not place the device where it may interfere with airbag deployment.
- Keep out of reach of children and pets.
- Use only recommended nebulizing liquids. Others may cause health or fire hazards.
- This device contains a built-in lithium battery. Do not burn, disassemble, or expose to water or impact. Risk of fire or explosion.
- Those sensitive to essential oils should use with caution. For air freshening only.

II . Proper Usage

- Keep the bottle upright when installing or replacing oil. Minor leakage is normal—just wipe clean.
- Do not tilt or invert the device during use or storage. Keep mist outlet facing up and clear.
- Driving Mode is vibration-activated. In unstable environments (e.g., in a bag), it may activate unintentionally. Turn off manually if needed.
- Keep your face away from the mist outlet. Keep valuables away to avoid surface residue.
- Diffusion may vary based on the essential oil's volatility, concentration, and viscosity.
- Avoid direct sunlight to prolong device lifespan.

III. Maintenance & Repairs

- Do not submerge or rinse the device with water to avoid risk of short circuit.
- Do not disassemble the device, please contact us for maintenance & repair.

Common Issues & Solutions

Problem	Possible Cause	Solution
Device won't turn on	Battery is fully drained	Charge the device
Indicator light is off	Device not powered on / Battery drained	Turn on the device / Charge the battery
No mist output	Oil level too low; wick can't absorb	Refill oil or gently press the wick to reach the base
	Mist outlet is clogged	Clean the mist outlet with alcohol swabs, or run Cleaning Mode
Oil leakage	Battery is drained	Charge the device
	Oil bottle not tightly secured	Remove the oil bottle, wipe clean, and reattach firmly
	Device is tilted or upside down	Keep device upright with mist outlet facing upward
	Mist outlet is blocked	Ensure no obstructions above the mist outlet

Warranty

If the product fails to work properly (not due to false action of user)**, the following warranty will be provided** (dated from the day of purchase):

- Free replacement: Free replacement within 7 days.
- Free maintenance: Free maintenance within 6 months.

Hazardous Substances

Component	Hazardous Substances					
	Lead (Pb)	Mercury (Hg)	Cadmium (Cd)	Hexavalent Chromium (Cr(VI))	Polybrominated Biphenyls (PBBs)	Polybrominated Diphenyl Ethers (PBDEs)
Plastic Parts	O	O	O	O	O	O
Battery	X	O	O	O	O	O
Circuit Board	X	O	O	O	O	O
Fan	X	O	O	O	O	O
Atomizing Chip	X	O	O	O	O	O
LED Components	O	O	O	O	O	O
USB Cable	X	O	O	O	O	O

This table complies with SJ/T 11364-2014.

O: Indicates that the content of hazardous substance in all homogeneous materials of this part is below the limit specified in GB/T 26572-2011.

X: Indicates that the content of hazardous substances in at least one of the homogeneous materials of this part exceeds the limit specified in GB/T 26572-2011.

This label applies to electronic information products sold in China.
The number inside indicates the environmental protection use period (in years).

Product Information

Product Name	Portable Aroma Nebulizer - Triassic
Model Number	AM01-05
Dimensions	Φ37 × 57mm (excluding accessories)
Materials	PBT, Silicone, Aluminum Alloy
Diffusion Method	Microporous Mist Diffusion
Battery Capacity	2500mAh
Rated Voltage	5V⎓1A
Charging Port	Type-C
Charging Time	1.5 hours
Operating Temperature	10°C-60°C
Applicable Standards	GB 4706.1-2005, GB 4706.48-2009
Manufacturer	Guangdong Kegao Electronics Co., Ltd.
Address of Manufacturer	No. 39, East Keji Avenue, Shidao Town, Nanhai District, Foshan City, Guangdong Province, China
Authorized Dealer	Widenness Aromatics (Hong Kong) Co., Limited
Address of Authorized Dealer	Room 2305,15/F, Yu Tung Shun Building, 69 Jervois Sts Venus Road Central, Central, Hong Kong
Service phone	+852-6064 8573

* This manual may be updated. Please refer to the label version.

• **Quality Inspector Certification**



社交媒體 Social media

www.drwonglab.com

中國港澳台及國際訪客

For visitors of China Hong kong, Macau, & Taiwan and international visitors



中國大陸訪客

For visitors of mainland China

線下店鋪 Boutique shops

華南 South China	深圳 Shenzhen	華南總部旗艦店：南山區華僑城創意園北區A5-152 A5-152, CRCP Park, Nanhai, Shenzhen	
	香港 Hong Kong	高銀街旗艦店：南山區高銀街3/5A 139A, Gaoyin Hou, Nanshan, Shenzhen	
		前海灣旗艦店：南山區海雅廣場3樓H18號 114, Block3, MIXCITY, Qianhai, Nanshan District, Shenzhen	
		銅鑼灣旗艦店：港島銅鑼灣希慎廣場L402 402, Hysan Place, Causeway Bay, Hong Kong	
華東 East China	上海 Shanghai	華潤時尚旗艦店：靜安區華潤置順時代廣場1106 1106, Times Square, Nanjing, Shanghai	
	蘇州 Suzhou	蘇州誠品店：蘇州工業園區誠品生活1245 1245, The Wide Lane Mall, Suzhou Industrial Park, Suzhou	
	寧波 Ningbo	寧波誠品：江北區寧波廣場L256 L256, Nbw., Jiangbei District, Ningbo	
華北 North China	北京 Beijing	嘉里中心店：朝陽區北京嘉里中心L104 L104, Kerry Centre, Chaoyang, Beijing	

* 具體營業時間以公司官網（drwonglab.com）公佈為準。
Updated in October 2024.

深圳市下一站生活用品有限公司 出品
Shenzhen Next Station Personal Care Product Co., Ltd